

# Product Data Sheet

## CIC Micro Colorants



### PRODUCT DESCRIPTION

CIC Micro Colorants are finely dispersed pigments designed to create clean colors with good transparency in solvent based stains, toners and sealers.

### FEATURES

- ❖ High transparency
- ❖ Good compatibility with solvent based systems
- ❖ No HAPs contributed
- ❖ Tint strength tolerance controlled to +/- 2% by weight to ensure reliable color reproduction

### PRODUCT DATA:

Gloss	NA	Weight Solids*	20% - 35%
Weight per gallon*	8.1-9.8 Lb/gal	Volume Solids*	14.9% – 17.0%
Viscosity as supplied	NA	VOC as packaged*	6.3 – 6.5 lbs/gal (754-779 g/L)
Coverage*	NA	Lbs. of VOC/ Lbs. of Solids*	1.9 – 4.0
Shelf Life	12 months (at 60°-77°F)	Lbs. VHAPS/ Lbs. Of Solids*	0

\*Calculated from formula

<b>MIXING / APPLICATION:</b>	
<b>Working Temp:</b>	65F – 90F
<b>Catalyst:</b>	NA
<b>Pot Life</b>	NA
<b>Mixing:</b>	Mix thoroughly before each time material is used.
<b>Reducer:</b>	NA
<b>Application:</b>	NA
<b>Surface Preparation:</b>	NA
<b>Use Directions:</b>	For Interior use only. Mix thoroughly before use. Always test the color and adhesion of the final coating system before use.
<b>Drying Times:</b>	NA
<b>Tinting:</b>	NA
<b>Clean Up:</b>	SS-120 Ethanol (denatured alcohol), SS-332 Butyl Acetate
<b>Recommended Stain Base:</b>	IX-5632 Spray and Wipe Base IX-7863 Toner Base

### TECHNICAL SERVICE

Factory technical and customer service personnel are available to assist architects and local applicators. For assistance call (763) 424-2044. CRB 10/2016

### PRODUCT CODE(S)

ST-1100 Black Micro Colorant  
 ST-3500 Brown Micro Colorant  
 ST-6700 Yellow 2R Micro Colorant  
 ST-7100 Red Micro Colorant  
 ST-8500 White Micro Colorant

CAUTIONS: Refer to the MSDS for additional information. Thoroughly review the product label and MSDS for safety and any cautions prior to use. A test sample is recommended to insure adequate adhesion to substrate, proper curing conditions and desired performance. Optimal results depend on a number of factors: nature of the substrate, the technical and physical possibilities, as well as the user's application technique. The technical data noted herein is accurate as of the date of publication and is subject to change without prior notice. CIC assumes no responsibility for coverage, performance or injuries resulting from use. Liability if any is limited to replacement of products. NO OTHER WARRANTY OR GUARANTEE OF ANY KIND IS MADE BY CIC, BY OPERATION OF LAW, STATUTORY, EXPRESS OR IMPLIED, OR OTHERWISE, INCLUDING FITNESS AND MECHANABILITY FOR A PARTICULAR PURPOSE. This product is intended for Industrial use only.